

## **Seattle Genova**

Tel: +1 (425) 247-3088 Fax: +1 (425) 650-9990

Email: info@seattle-genova.com Web: www.seattle-genova.com Address: 18110 SE 34TH ST STE 455, Vancouver, WA 98683

## BioActive Human BRAF (L597R) Recombinant Protein, Fc Tag

Catalog Number:SGRP00671

DESCRIPTION	
Product Name	BioActive Human BRAF (L597R) Recombinant Protein,Fc Tag
Gene Name	BRAF
Source	Full length Human BRAF (V600E,G469A), expressed in HEK293 cells.
Alternative names	
SPECIFICATIONS	
Biological Activity	Fully biologically active
Purity	> 95% by SDS-PAGE & HPLC
Endotoxin Level	< 1.0 EU per µg protein as determined by the LAL method
Expression System	HEK293 Cells
Format	Recombinant
Species	Human
Predicted MW	
Actual MW	
Applications	Sandwich ELISA Functional Studies Mass Spectrometry SDS-PAGE HPLC
Form	Lyophilized from sterile PBS, pH 7.54
Concentration	N/A
Stability and Storage	Samples are stable for up to twelve months from date of receipt at -20°C to -80°C. Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Reconstitution	Reconstitute with Phosphate Buffered Saline.
BACKGROUND	
Gene Accession	P15056
Gene Alias	Protein names Recommended name Serine/threonine-protein kinase B-raf Curated EC number EC:2.7.11.1 2 Publications (UniProtKB   ENZYME   Rhea) Alternative names Proto-oncogene B-Raf p94 v-Raf murine sarcoma viral oncogene homolog B1 Gene names Name BRAF Imported Synonyms BRAF1, RAFB1



## **Seattle Genova**

Tel: +1 (425) 247-3088 Fax: +1 (425) 650-9990

Email: info@seattle-genova.com Web: www.seattle-genova.com Address: 18110 SE 34TH ST STE 455, Vancouver, WA 98683

(PMID: 29533785).

## Background

BRAF L597R lies within the protein kinase domain of the Braf protein (UniProt.org). L597R results in activation of Braf as indicated by increased phosphorylation of Mek and Erk in cell culture (PMID: 22798288, PMID: 26343582), is associated with Erk activation in a patient tumor sample (PMID: 23715574), and in one of two cell lines, increased cell proliferation and cell viability compared to wild-type Braf