

Seattle Genova

Tel: +1 (425) 247-3088 Fax: +1 (425) 650-9990

Email: info@seattle-genova.com Web: www.seattle-genova.com Address: 18110 SE 34TH ST STE 455, Vancouver, WA 98683

BioActive Human BRAF (V600D,V600K,V600M,V600G,V600R) Recombinant Protein,Fc Tag

Catalog Number:SGRP00681

ctive Human BRAF (V600D,V600K,V600M,V600G,V600R) mbinant Protein,Fc Tag ength Human BRAF (D594G,G469E), expressed in HEK293 cells. biologically active biologically active EU per µg protein as determined by the LAL method 293 Cells mbinant an
biologically active % by SDS-PAGE & HPLC DEU per µg protein as determined by the LAL method 293 Cells mbinant an
biologically active % by SDS-PAGE & HPLC DEU per µg protein as determined by the LAL method 293 Cells mbinant an
% by SDS-PAGE & HPLC DEU per µg protein as determined by the LAL method 293 Cells mbinant an
% by SDS-PAGE & HPLC DEU per µg protein as determined by the LAL method 293 Cells mbinant an
% by SDS-PAGE & HPLC DEU per µg protein as determined by the LAL method 293 Cells mbinant an
DEU per μg protein as determined by the LAL method 293 Cells mbinant an
293 Cells mbinant an
mbinant
an
wich ELISA Functional Studies Mass Spectrometry SDS-PAGE HPLC
wich ELISA Functional Studies Mass Spectrometry SDS-PAGE HPLC
wich ELISA Functional Studies Mass Spectrometry SDS-PAGE HPLC
hilized from sterile PBS, pH 7.64
ples are stable for up to twelve months from date of receipt at C to -80°C. Store it under sterile conditions at -20°C to -80°C. It is mmended that the protein be aliquoted for optimal storage. Avoid ated freeze-thaw cycles.
nstitute with Phosphate Buffered Saline.
56
ein names Recommended name Serine/threonine-protein kinase Burated EC number EC:2.7.11.1 2 Publications (UniProtKB ENZYMERA) Alternative names Proto-oncogene B-Raf p94 v-Raf murine oma viral oncogene homolog B1 Gene names Name BRAFurted Synonyms BRAF1, RAFB1



Seattle Genova

Tel: +1 (425) 247-3088 Fax: +1 (425) 650-9990

Email: info@seattle-genova.com Web: www.seattle-genova.com Address: 18110 SE 34TH ST STE 455, Vancouver, WA 98683

arginine), V600E2 (1799 1800 AG > AA; 0.7%) and V600D (1799 1800 AG > AT).

Background

The BRAF V600E mutation constitutes more than 80% of BRAF mutations. Other BRAF mutations include V600K (1798 1799 GT > AA; 5% to 6%; valine to lysine), V600R (1798 1799 GT > AG; 1%; valine to