

Calmodulin Binding Protein (CBP) In Vitro Transcribed mRNA-LNP

Catalog Number:MRNA-TG-002

DESCRIPTION	
Product Name	Calmodulin Binding Protein (CBP) In Vitro Transcribed mRNA-LNP
Gene Name	Calmodulin Binding Protein (CBP)
Source	In vitro transcribed mRNA encapsulated with LNP
Alternative names	
SPECIFICATIONS	
Cap	Cap 1
5'-UTR	5' -untranslated region derived from human alpha-globin RNA with an optimized Kozak sequence
ORF	Calmodulin Binding Protein (CBP)
3'-UTR	3' UTR comprising two sequence elements derived from the aminoterminal enhancer of split (AES) mRNA and the mitochondrial encoded 12S ribosomal RNA
Poly(A) Tail	A 110-nucleotide poly(A)-tail consisting of a stretch of 30 adenosine residues, followed by a 10-nucleotide linker sequence and another 70 adenosine residues.
Modifications	N1-methyl-pseudouridine
Neutral Lipid	1,2-distearoyl-sn-glycero-3-phosphocholine (DSPC)
Cholesterol	Cholesterol
Ionizable Lipid	1,2-dimyristoyl-rac-glycero-3-methoxypolyethylene glycol-2000 (PEG2000-DMG)
PEG-lipid	Heptadecan-9-yl 8-((2-hydroxyethyl)(8-(nonyloxy)-8-oxooctyl)amino)octanoate)(SM-102)
Storage	-20 °C
Buffer	PBS, pH7.4
Cryoprotectant	Trehalose
BACKGROUND	
Gene Accession	
Gene Alias	

can be purified from crude cell extracts through CaM affinity resin. CBP Tag antibody is a useful tool in analysis of CBP-tagged proteins. GenScript CBP Tag Antibody, mAb, Mouse is produced from the hybridoma resulting from fusion of SP2/0-Ag14 myeloma and B-lymphocytes harvested from mouse immunized with CBP tag peptide conjugated to KLH.

Background

CBP affinity tag is a useful tag in protein study which can be added to the N or C terminus of proteins of interest through DNA recombinant technology. The tag is derived from muscle myosin light-chain kinase. The tag comprises 26 amino acid residues with the molecular weight of 4 kDa and sequence of KRRWKKNFIAVSAANRFKKISSGAL. CBP tag has the relatively high affinity for calmodulin (CaM). CBP-tagged proteins